

This material sheet serves as a general product characteristic for customer needs. It contains individual specification, composition and use of this material.

AGGLOMERATE PE is made by agglomeration of polyethylene film waste (transparent or matt). The PE agglomerate is of irregular shape, 3 - 7 mm in size, porous, material with the nonspecific colour. It is suitable for further processing into technical plastic and consumer plastic products using injection moulding, pressing and extrusion technology. The material is not suitable for products with the direct contact with food. Every customer is required to review this material for the intended use. Due to occurrence of residual print inks in this agglomerate, it is recommended to incorporate it only in a certain percentage.



TECHNICAL DATA

AGLOMERATE PE-OST-2	Composition	polyethylene transparent / polyethylene matt/ + rinting inks max/0,5%
	Melt index	0,3 - 2,5g/ 10 min./ 120°C STN EN ISO 1133
	Density	0,90 - 0,91g/cm ³ ISO 1183
	Particle size	3 - 7mm Internal Methode
	Bulk density	400 - 600kg/m ³ STN EN ISO 60

Terms of Delivery:

AGLOMERATE PE-OST-2 is delivered in plastic PE bags weighing approx. 20kg, stored on pallets weighing approx 950 kg. The packaging unit contains all the necessary product information as an indication of the manufacturer, product name, weight, date of manufacture. On the customer's request and by mutual agreement, the manufacturer may modify the method of packaging and to add some of the data in the labeling.

The product must be transported in dry and clean vehicles, stored in a covered, dry rooms and recommends a minimum of 48hours stored in a standard room conditions where it will be subsequently processed.



TATRAFAN, s.r.o.

Štúrova 101

059 21 Svit

Slovakia

tel.: +421 52 715 2685

fax: +421 52 715 7685

mail: milan.semancik@tatrafan.com